


Multi-Point Toxic Gas Monitoring System

Honeywell



Vertex™ provides the most sensitive and reliable multi-point low level toxic gas monitoring system backed by physical evidence of an actual gas release

Multi-Point Toxic Gas Monitoring System



Easy to use

- Touch screen for easy access to data
- Software updates via CD-ROM or network to all system components
- Configuration profile editing and data retrieval are all achievable without taking unit offline
- Radio frequency identification tag (RFID) ensures Chemcassettes are installed into appropriately programmed analyser, eliminating human error
- On-line help system

Security

- Multiple levels of password protection
- Reconfigure security setup without taking unit offline

Low cost of ownership

- Vertex's™ smaller footprint and greater density of points reduce your cost per point
- Eight points per analyser lowers Chemcassette® costs
- Maximised 72 point systems provide low cost per point as compared to other continuous monitors
- One system monitors up to nine gas families and more than 40 gases
- You can split your sample to more than one analyser

Easy to maintain

- Vertex™ uses cost-effective XP Chemcassettes®, providing up to three months of continuous monitoring
- Simplified replacement of Chemcassettes® and automated optics verification
- No dynamic calibration required
- No flow balancing
- Easy access to analysers, pumps, power supplies and touch screen from front panel
- Onscreen interactive electronic manual with integral video

Advanced communications

- Built-in configurable PLCs with optional 176 relay contacts
- Standard OPC interface for easy integration into your existing factory automation system or HMI
- Optional Ethernet/CIP, LonWorks®, DeviceNet™, DF1 Interface, Profibus, Modbus Plus, Modbus/TCP, ControlNet, or isolated 4-20mA outputs available
- Optional Chemcam camera permits viewing of stain, locally or remotely, for proof of gas event. Image is electronically saved for future retrieval.
- Optional remote control/viewing software enables total visualisation of the monitor screens at a remote PC

Vertex™ provides a cost-effective monitoring solution that adapts to your changing gas detection needs

Flexible

Start your Vertex™ System with as little as eight points. As your monitoring needs change, Vertex™ expands, offering you up to 72 points of continuous gas detection. Place your sampling points up to 400 feet (120 meters) from the system. There is a choice of universal analyser modules and/ or pyrolyzer analysers.


Reliable

Vertex™ offers powerful, built-in system redundancy as standard equipment to effectively safeguard against downtime.

- Back-up pump and internal power module
- Chemcassette® technology provides physical evidence of gas event
- System data back-up. If main data acquisition PC fails, analysers continue to monitor, log data and alarm
- Drip resistant cap for system protection from overhead leaks
- Automated leak test with line integrity option



General specification



Continuous monitoring

Detect More Than 40 Toxic Gases



Vertex™ monitors virtually every gas used in fabs, including:

| | | |
|-----------------------------|---------------------------|-----------------------------------|
| ACT935 Photoresist Stripper | Fluorine | Phosphorous Tribromide |
| Ammonia | Germane | Phosphorous Trichloride |
| Arsenic Pentafluoride | Hexachlorodisilane | Phosphorous Trifluoride |
| Arsenic Trichloride | Hydrogen Bromide | Silane |
| Arsenic Trifluoride | Hydrogen Chloride | Silicon Tetrachloride |
| Arsine | Hydrogen Cyanide | Silicon Tetrafluoride |
| Boron Tribromide | Hydrogen Fluoride | Stibine |
| Boron Trichloride | Hydrogen Iodide | Sulphur Tetrafluoride |
| Boron Trifluoride | Hydrogen Selenide | Tertiarybutylarsine |
| Carbonyl Fluoride | Hydrogen Sulphide | Tertiarybutylphosphine |
| Chlorine | n-Butylamine | Tetrachlorosilane |
| Chlorine Dioxide | Nitric Acid | Tetrakis (dimethylamino) titanium |
| Chlorine Trifluoride | Nitrogen Dioxide | Tin Tetrachloride |
| Cupra Select | Nitrogen Trifluoride | Titanium Tetrachloride |
| Diborane | Phenyl Trichlorosilane | Trichlorosilane |
| Dichlorosilane | Phosgene | Trimethylsilane |
| Digermane | Phosphine | Tungsten Hexafluoride |
| Dimethylamine | Phosphorous Oxychloride | Xenon Difluoride |
| Dimethylsilane | Phosphorous Pentachloride | |
| Disilane | Phosphorous Pentafluoride | |

New calibrations are continuously developed

Accessories

Floor Mounting



Duct Adapter

- Chemcam Camera
- Line Filters
- Tubing

World leader in gas detection

Honeywell Analytics offers you more than 30 years' experience in developing patented Chemcassette® tape technology. Vertex™ Multi-Point Toxic Gas Monitoring System complements Honeywell Analytics' CM4, electrochemical cell, catalytic bead and infrared monitors.

Honeywell Analytics provides complete integrated systems solutions for semiconductor facilities, from consulting to turnkey installation.

For more information:
Call +41 (0)44 943 4300

24 hour service

Honeywell Analytics' global team of technical service professionals is at your service 24 hours a day, 7 days a week in more than 60 countries.

Our Product Range



Fixed Gas Monitoring

Honeywell Analytics offers a wide range of fixed gas detection solutions for a diverse array of industries and applications including: Commercial properties, industrial applications, semiconductor manufacturers, energy plants and petrochemical sites.

- » Detection of flammable, oxygen and toxic gases (including exotics)
- » Innovative use of 4 core sensing technologies – paper tape, electrochemical cell, catalytic bead and infrared
- » Capability to detect down to Parts Per Billion (ppb) or Percent by Volume (%v/v)
- » Cost effective regulatory compliance solutions

Portable Gas Monitoring

When it comes to personal protection from gas hazards, Honeywell Analytics has a wide range of reliable solutions ideally suited for use in confined or enclosed spaces.

These include:

- » Detection of flammable, oxygen and toxic gases
- » Single gas personal monitors – worn by the individual
- » Multi-gas portable gas monitors – used for confined space entry and regulatory compliance
- » Multi-gas transportable monitors – used for temporary protection of area during site construction and maintenance activities

Technical Services

At Honeywell Analytics, we believe in the value of great service and customer care. Our key commitment is providing complete and total customer satisfaction. Here are just a few of the services we can offer:

- » Full technical support
- » Expert team on hand to answer questions and queries
- » Fully equipped workshops to ensure quick turnaround on repairs
- » Comprehensive service engineer network
- » Training on product use and maintenance
- » Mobile calibration service
- » Customised programmes of preventative/corrective maintenance
- » Extended warranties on products

Find out more

www.honeywellanalytics.com

Contact Honeywell Analytics:

Europe, Middle East, Africa

Life Safety Distribution AG
Wilstrasse 11-U31
CH-8610 Uster
Switzerland
Tel: +41 (0)44 943 4300
Fax: +41 (0)44 943 4398
gasdetection@honeywell.com

Americas

Honeywell Analytics Distribution, Inc.
405 Barclay Blvd.
Lincolnshire, IL 60069
USA
Tel: +1 847 955 8200
Toll free: +1 800 538 0363
Fax: +1 847 955 8208
detectgas@honeywell.com

Asia Pacific

Honeywell Analytics Asia Pacific
#508, Kolon Science Valley (1)
187-10 Guro-Dong, Guro-Gu
Seoul, 152-050,
Korea
Tel: +82 (0)2 2025 0307
Fax: +82 (0)2 2025 0329
analytics.ap@honeywell.com

Technical Services

ha.emea.service@honeywell.com

www.honeywell.com

Please Note:

While every effort has been made to ensure accuracy in this publication, no responsibility can be accepted for errors or omissions. Data may change, as well as legislation, and you are strongly advised to obtain copies of the most recently issued regulations, standards, and guidelines. This publication is not intended to form the basis of a contract.

H_Vertex_DS0343_V3_EMEA

10/07

© 2007 Honeywell Analytics

Honeywell